

NO ERRORS

HTTP-request

if failed: succeeds,

257

event

loop



No space

between the function name and parentheses

between the parentheses and the parameter

t = 0.25

Lines are not very long

HTTP-response

"Okay!"



Most deeply
nested element

origin: <https://javascript.info>

Документ, события,
интерфейсы

site.com

fetchno

3)

JavaScript

Introduction

This Ecma Standard is based on several originating technologies, the most well known being JavaScript (Netscape) and JScript (Microsoft). The language was invented by Brendan Eich at Netscape and first appeared in that company's Navigator 2.0 browser.

It has appeared in all subsequent browsers
from Netscape 3.0 through Microsoft 6.0



Canali



event

loop

push

got the cookie?

okay!

watch expressions

4actb3



site.com



0

.

5

Access-Control-Allow-Origin
Access-Control-Allow-Method
Access-Control-Allow-Headers
Access-Control-Max-Age



here's the list



**An empty line
between logical blocks**

connection
hangs



content

<td>

Browsers



EDIV

JavaScript

Introduction

This Ecma Standard is based on several originating technologies, the most well known being JavaScript (Netscape) and JScript (Microsoft). The language was invented by Brendan Eich at Netscape and first appeared in that company's Navigator 2.0 browser. It has appeared in all subsequent browsers from Netscape and in all browsers from Microsoft



othernwise fail

!!!Hello!!!

YES



USER

Access-Control-Allow-Origin



What's the
“official” name of
JavaScript?



A large, stylized, brown, pixelated graphic of the HTML code `<img src='https://ads.com/banner.png'>`. The text is rendered in a monospace-style font with a heavy pixelated effect, giving it a retro, digital appearance. The color is a solid brown, and the background is white.

USER



otther.com

Cancelled

Canali



html>

spaces around a nested call



2. Then runs the script

Introduction

This Ecma Standard is based on several originating technologies, the most well known being JavaScript (Netscape) and JScript (Microsoft). The language was invented by Brendan Eich at

8-bit integer



Introduction

This Ecma Standard is based on several originating technologies, the most well known being JavaScript (Netscape) and JScript (Microsoft). The language was invented by Brendan Eich at Netscape and first appeared in that company's Navigator 2.0 browser. It has appeared in all subsequent browsers from Netscape and in all browsers from Microsoft starting with

connection
hangs



(2)



Shift



Introduction

This Ecma Standard is based on several originating technologies, the most well known being JavaScript (Netscape) and JScript (Microsoft). The language was invented by Brendan Eich at Netscape and first appeared in that company's Navigator 2.0 browser.

It has appeared in all subsequent browsers from Netscape and in all browsers from Microsoft starting with Internet Explorer 3.0. The development of this Standard started in November 1996.

The first edition of this Ecma Standard was adopted by the Ecma General Assembly of June 1997.

Captures

2000K





!!Hello!!

8-bit integer

Document

Menu

"Hey, server, let's talk WebSocket!"

Introduction

This Ecma Standard is based on several originating technologies, the most well known being JavaScript (Netscape) and JScript (Microsoft). The language was invented by Brendan Eich at Netscape and first appeared in that company's Navigator 2.0 browser. It has appeared in all subsequent browsers from Netscape and in all browsers from Microsoft starting with

2

Introduction

This Ecma Standard is based on several originating technologies, the most well known being JavaScript (Netscape) and JScript (Microsoft). The language was

{ "messaggies": [. . .] }

Execute catch block

HTTP-request

The Master

push

evi.com

Bubbling

see the outer call details

WebSocket protocol



4aCTb2

```
<form action="https://bank.com/pay">
```

```
...
```

```
</form>
```

Browsers

A large, stylized, brown, pixelated graphic of the HTML code `<img src='https://ads.com/banner.png'>`. The text is rendered in a thick, hand-drawn, pixelated font. The background is white with faint, light gray, pixelated grid lines.

if allowed

QIVZ

move

elements
to the left



A semicolon ;
is mandatory



TERCOT

if the header all ovs, then succeeds,

SERVER



AtGr

Password?

4aCTb1

cookie: user=john

Browser

ads.com

<script>

...

</script>

macrotask

queue

no

shift

ads.com

GET/banner.png

unshift

A large, stylized, brown, pixelated graphic of the HTML code `<img src='https://ads.com/banner.png'>`. The text is rendered in a thick, hand-drawn, pixelated font. The background is a light gray with a subtle grid pattern.

CapS Lock

Shift

3. Then shows the rest

set-cookie: id=123

GET /messages

Phase



queued handler runs

3

fetchno

Introduction

This Ecma Standard is based on several originating technologies, the most well known being JavaScript (Netscape) and JScript (Microsoft). The language was invented by Brendan Eich at

POST /pay







Origin

Access-Control-Request-Method

Access-Control-Request-Headers

TARGET

!! Word !!

An error occurred in the code

0.25

bioParts



type

Spaces
around operators

nestledcais



snift

macrotask

queue

ads.com

Begin

cookie: user=johnn

Lexical Environment of the call



t = 0.5

Target

1. The browser shows this part

bank.com

Begin



Generator

Bob

gnailli.com

#

F

R

O

M



<http://javascrip.t.info>

breakpoints

USER

Introduction

This Ecma Standard is based on several originating technologies, the most well known being JavaScript (Netscape) and JScript (Microsoft). The language was invented by Brendan Eich at Netscape and first appeared in that company's Navigator 2.0 browser. It has appeared in all subsequent browsers from Netscape and in all browsers from Microsoft starting with Internet Explorer 3.0.

The development of this Standard started in November 1996. The first edition of this Ecma Standard was adopted by the Ecma General Assembly of June 1997.

That Ecma Standard was submitted to ISO/IEC JTC 1 for adoption under the fast-track procedure, and approved as international standard ISO/IEC 16262, in April 1998. The Ecma General Assembly of June 1998 approved the second edition of ECMA-262 to keep it fully aligned with ISO/IEC 16262. Changes between the first and the second edition are editorial in nature.

cursor



0.25

strg





Access-Control-Allow-Origin: *

(or <https://javascript.info>)

EMMAScript

Indentation
2 spaces









empty

connection breaks

end of request

current variables





win

POP

Cancelled

Databases







<body>

$\rightarrow$ tables $\rightarrow$

<tbody>

https://gnail.com





tr>



objects store

std>

Phase



Introduction

This Ecma Standard is based on several originating technologies, the most well known being JavaScript (Netscape) and JScript (Microsoft). The language was invented by Brendan Eich at Netscape and first appeared in that company's Navigator 2.0 browser. It has appeared in all subsequent browsers from Netscape and in all browsers from Microsoft starting with Internet Explorer 3.0.

The development of this Standard started in November 1996. The first edition of this Ecma Standard was adopted by the Ecma General Assembly of June 1997.

That Ecma Standard was submitted to ISO/IEC JTC 1 for adoption under the fast-track procedure, and approved as international standard ISO/IEC 16262, in April 1998. The Ecma General Assembly of June 1998 approved the second edition of ECMA-262 to keep it fully aligned with ISO/IEC 16262. Changes







calling codes

got the cookie?

okay!

Curly brace {
on the same line, after a space

OPTIONS

Who's there?



Main HTTP-responses



Other

EDIV

A I

+

objects store

Язык JavaScript

welcome!

Adminin

You don't know?

"ECMAScript"!

!!!Hello!!!

EDIV

USER

preflight

content

Introduction

This Ecma Standard is based on several originating technologies, the most well known being JavaScript (Netscape) and JScript (Microsoft). The language was invented by Brendan Eich at Netscape and first appeared in that company's Navigator 2.0 browser. It has appeared in all subsequent browsers from Netscape and in all browsers from Microsoft starting with Internet Explorer 3.0.

The development of this Standard started in November 1996. The first edition of this Ecma Standard was adopted by the Ecma General Assembly of June 1997.

That Ecma Standard was submitted to ISO/IEC JTC 1 for adoption under the fast-track procedure, and approved as international standard ISO/IEC 16262, in April 1998. The Ecma General Assembly of June 1998 approved the second edition of ECMA-262 to keep it fully aligned with ISO/IEC 16262. Changes between the first and the second edition are editorial in nature.

cookie: id=123

==Hello!==

Phase



recursive call until $n == 1$



Introduction

This Ecma Standard is based on several originating technologies, the most well known being JavaScript (Netscape) and JScript (Microsoft). The language was invented by Brendan Eich at Netscape and first appeared in that company's Navigator 2.0 browser. It has appeared in all subsequent browsers from Netscape and in all browsers from Microsoft starting with

books

Origin

Other

A space between parameters

Долнительно

open sources



Ignore the rest of try



HTTP-response



USER

P

O

P

GET/banner.png

Right!

QIVZ

I don't know you

event.target

Begin

index

A space
after for/if/while...

Server

cookie: id=123

objects store

Lexical Environment for the call

connection breaks

end of request



evi.com

<td>

Other

TARGET







**A space
between
parameters**

primaryKey

SERVER

calling codes

EDIVA

Browsers

Generator

books

Key



Introduction

This Ecma Standard is based on several originating technologies, the most well known being JavaScript (Netscape) and JScript (Microsoft). The language was invented by Brendan Eich at Netscape and first appeared in that company's Navigator 2.0 browser. It has appeared in all subsequent browsers from Netscape and in all browsers from Microsoft starting with

release without a line break



string

SERVER

handled everywhere

push

256



GET/banner.png

#T0

0

.

5



#T0



Wrong password

win

Window







